

Psychiatry and Clinical Neurosciences

Psychiatry and Clinical Neurosciences (PCN) is the official English journal of the Japanese Society of Psychiatry and Neurology (JSPN), which has approximately 18,000 members.

The journal publishes papers in all fields of psychiatry and related neurosciences, and aims to become a hub of academic exchange between Eastern and Western psychiatrists.

Current Editors-in-Chief are **Shigenobu Kanba** of Kyushu University and **Tadafumi Kato** of Juntendo University.

Vol. 75 No. 5 2021

Regular Articles

- 159 Association between the serum insulin-like growth factor-1 concentration in the first trimester of pregnancy and postpartum depression
Sho Adachi, Narumi Tokuda, Yoshiko Kobayashi, Hiroyuki Tanaka, Hideaki Sawai, Hiroaki Shibahara, Yasuhiro Takeshima, Masayuki Shima and the Japan Environment, Children's Study Group
- 166 TEMPS-A (short version) plays a supplementary role in the differential diagnosis between major depressive disorder and bipolar disorder
Chihiro Morishita, Rie Kameyama, Hiroyuki Toda, Jiro Masuya, Yota Fujimura, Shinji Higashi, Ichiro Kusumi, Takeshi Inoue
- 172 Source decomposition of the frontocentral auditory steady-state gamma band response in jects schizophrenia patients and healthy sub
Daisuke Koshiyama, Makoto Miyakoshi, Yash B. Joshi, Masaki Nakanishi, Kumiko Tanaka-Koshiyama, Joyce Sprock and Gregory A. Light



Psychiatry and Clinical Neurosciences

Psychiatry and Clinical Neurosciences (PCN) is the official English journal of the Japanese Society of Psychiatry and Neurology (JSPN), which has approximately 18,000 members.

The journal publishes papers in all fields of psychiatry and related neurosciences, and aims to become a hub of academic exchange between Eastern and Western psychiatrists.

Current Editors-in-Chief are **Shigenobu Kanba** of Kyushu University and **Tadafumi Kato** of Juntendo University.

Letters to the Editor

- 180 Mental health status and isolation/quarantine during the COVID-19 outbreak:
A large-sample-size study of the Chinese population
Jingbo Gong, Xilong Cui, Zhenpeng Xue, Jianping Lu, Jianbo Liu
- 181 Withdrawal from long-term use of caffeinated drinks can cause schizophrenia-like symptoms:
A case report
Keigo Onda, Takayuki Yukawa, Masashi Sakaue, Ryusuke Tsuboya, Emiko Inoue, Toshiyuki Someya
- 182 Current status of the certification of long-term care insurance among individuals with
dementia in a Japanese community: The Hisayama Study
Tomoyuki Ohara, Daigo Yoshida, Jun Hata, Mao Shibata, Takanori Honda, Yoshihiko Furuta, Naoki Hirabayashi, Takanari Kitazono, Tomohiro Nakao, Toshiharu Ninomiya
- 184 Prescription patterns in patients with schizophrenia who discontinued long-acting injectable
antipsychotics: A chart-review
Keisuke Asano, Takefumi Suzuki, Masaru Mimura, Hiroyuki Uchida
- 185 Tardive Tourette syndrome in a patient with dementia after 3 weeks' treatment
with asenapine
Yasuhito Nagai, Masanobu Ito, Tadafumi Kato
- 187 Positive association between insight and attitudes toward medication in Japanese patients
with schizophrenia: Evaluation with the Schedule for Assessment of Insight (SAI) and the
Drug Attitude Inventory – 10 Questionnaire (DAI-10)
Satsuki Ito, Junya Matsumoto, Yoshie Sakai, Kenichiro Miura, Naomi Hasegawa, Hidenaga Yamamori, Keiichiro Ishimaru, Yoshiharu Kim, Ryota Hashimoto

To read the articles, access

www.wileyonlinelibrary.com/journal/pcn

